SAFETY DATA SHEET



1. Identification

Product identifier Grigg Ultraplex

Other means of identification

Product code 32032GRI

Recommended use Turf- fertilizer

Recommended restrictions Refer to product label. **Manufacturer/Importer/Supplier/Distributor information**

Manufacturer

Company nameBrandt Consolidated, Inc.Address2935 South Koke Mill Road

Springfield, IL 62711

United States

Telephone Corporate Office 1-217-547-5800

Website www.brandt.co E-mail www.brandt.co

Contact person EH&S / Regulatory Department

Emergency phone number CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 1B

Reproductive toxicity Category 2

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Magnesium Amino Acid Complex		7786-30-3	3 - < 5
Potassium Nitrate		7757-79-1	3 - < 5

Material name: Grigg Ultraplex SDS CANADA

32032GRI Version #: 03 Revision date: 12-05-2023 Issue date: 02-08-2018

Chemical name CAS number % Common name and synonyms 12008-41-2 < 1 Disodium Octaborate Tetrahydrate Other components below reportable levels 90 - 100

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and delayed

Indication of immediate

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. medical attention and special

treatment needed **General information**

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Powder.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Use water spray to reduce vapors or divert vapor cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: Grigg Ultraplex SDS CANADA

8. Exposure controls/personal protection

Occupational exposure limits

He		Throo	hald	I imit	Values
ua.	ACGIR	THES	HOIU		values

Components	Туре	Value	Form
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Canada. Alberta OELs (Occupat	ional Health & Safety Code, Sch	nedule 1, Table 2)	
Components	Туре	Value	
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	3 ppm	
.2000 2)			
.2000 11 2)	TWA	1 mg/m3	
·		•	
Canada. Manitoba OELs (Reg. 2		•	Form
Canada. Manitoba OELs (Reg. 2 Components Disodium Octaborate Tetrahydrate (CAS	17/2006, The Workplace Safety	And Health Act)	Form Inhalable fraction.
Canada. Manitoba OELs (Reg. 2 Components Disodium Octaborate Tetrahydrate (CAS	17/2006, The Workplace Safety Type	And Health Act) Value	
Canada. Manitoba OELs (Reg. 2 Components Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	17/2006, The Workplace Safety Type STEL TWA	And Health Act) Value 6 mg/m3 2 mg/m3	Inhalable fraction.
Canada. Manitoba OELs (Reg. 2 Components Disodium Octaborate Tetrahydrate (CAS 12008-41-2) Canada. Ontario OELs. (Control	17/2006, The Workplace Safety Type STEL TWA	And Health Act) Value 6 mg/m3 2 mg/m3	Inhalable fraction.

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

2 mg/m3

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

TWA

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Not available.
Odor threshold Not available.

pH 2.3

Melting point/freezing point 270.86 °F (132.7 °C) estimated

Initial boiling point and boiling Not available.

range

Material name: Grigg Ultraplex SDS CANADA

Inhalable fraction.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor density Not available.

Relative density 1.33 g/cm3 (typical)

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties

Oxidizing properties

Not explosive.

Not oxidizing.

Percent volatile

51.81 % estimated

Pounds per gallon

11.1 lb/gal (typical)

VOC

4.74 % estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Material name: Grigg Ultraplex SDS CANADA

Product Species Test Results

Grigg Ultraplex

Acute

Oral

LD50 Rat 22060 mg/kg

Components Species Test Results

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 2550 mg/kg

2 g/kg

1166 mg/kg

Magnesium Amino Acid Complex (CAS 7786-30-3)

<u>Acute</u>

Oral

LD50 Rat 2800 mg/kg

Potassium Nitrate (CAS 7757-79-1)

Acute Oral

LD50 Rabbit

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Disodium Octaborate Tetrahydrate (CAS 12008-41-2) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Disodium Octaborate Tetrahydrate (CAS 12008-41-2) Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Potassium Nitrate (CAS 7757-79-1) 2A Probably carcinogenic to humans.

Species

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Product

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Test Results

Grigg Ultraplex
Aquatic
Crustacea EC50 Daphnia 2089.3232 mg/l, 48 hours estimated

Material name: Grigg Ultraplex SDS CANADA

 Product
 Species
 Test Results

 Fish
 LC50
 Fish
 15833.5322 mg/l, 96 hours estimated

 Components
 Species
 Test Results

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

AquaticAcute

Crustacea LC50 Daphnia magna 619 mg/l Fish LC50 Pimephales promelas 370 mg/l

Magnesium Amino Acid Complex (CAS 7786-30-3)

Aquatic

Crustacea EC50 Calanoid copepod (Eudiaptomus 95 - 342 mg/l, 48 hours

padanus padanus)

Fish LC50 Fathead minnow (Pimephales promelas) 1580 - 2740 mg/l, 96 hours

Potassium Nitrate (CAS 7757-79-1)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) 1200 mg/l, 96 hours

Acute

Fish LC50 Fish 1378 - 3000 mg/l

Persistence and degradability

lity No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Proposition of the control of the co

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

UN number UN3139

UN proper shipping name OXIDIZING LIQUID, N.O.S. (Potassium Nitrate)

Transport hazard class(es)

Class 5.1
Subsidiary risk Packing group III

Environmental hazards Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

Material name: Grigg Ultraplex SDS CANADA



15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Inventory name On invent	ory (yes/no)*
Australian Inventory of Chemical Substances (AICS)	No
Domestic Substances List (DSL)	No
Non-Domestic Substances List (NDSL)	No
Inventory of Existing Chemical Substances in China (IECSC)	No
European Inventory of Existing Commercial Chemical Substances (EINECS)	No
European List of Notified Chemical Substances (ELINCS)	No
Inventory of Existing and New Chemical Substances (ENCS)	No
Existing Chemicals List (ECL)	No
New Zealand Inventory	No
Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan Chemical Substance Inventory (TCSI)	No
Toxic Substances Control Act (TSCA) Inventory	No
nents of this product comply with the inventory requirements administered by the governing countr	y(s)
	Australian Inventory of Chemical Substances (AICS) Domestic Substances List (DSL) Non-Domestic Substances List (NDSL) Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Existing Chemicals List (ECL) New Zealand Inventory Philippine Inventory of Chemicals and Chemical Substances (PICCS) Taiwan Chemical Substance Inventory (TCSI) Toxic Substances Control Act (TSCA) Inventory

16. Other information

country(s).

 Issue date
 02-08-2018

 Revision date
 12-05-2023

 Version #
 03

Material name: Grigg Ultraplex SDS CANADA

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Material name: Grigg Ultraplex SDS CANADA